



Cognito Rear Sway Bar Kit for 2024+ Can-Am Maverick R

INSTALL INSTRUCTIONS:

Cognito Rear Sway Bar Kit for 2024+ Can-Am Maverick R
SKU: 370-91302

PARTS LIST FOR SKU: 370-91302

QUANTITY	PART #	DESCRIPTION
1	6778	Cognito Rear Adjustable Sway Bar Can-Am Maverick R

**WARNING**

Please read this entire instruction sheet before beginning installation. Proper installation of these components requires a qualified mechanic. Always wear safety glasses when using power tools, and take appropriate precautions when working under a vehicle. If these instructions are not properly followed you may jeopardize your, and your passenger's safety, and severe frame, suspension or tire damage may also result from improper installation.



INTRODUCTION

Thank you for purchasing the Cognito Rear Sway Bar Kit for the Can-Am Maverick R. This kit replaces the OEM sway bar with an adjustable, stiffer sway bar which allows you dial in your chassis roll.

The Maverick R comes with a rear sway bar that is hollow, and will typically fail by cracking, then bending, then breaking in half after a certain number of cycles or abuse which may also be related to a car that has added weight. We believe Can-Am made the bar hollow trying to build the lightest car possible, unfortunately for an off-road car like this, a sway bar made of thin wall tubing is not conducive to longevity. The Maverick R also tends to have an excessive amount of body roll, which can cause the car to react slower when turning and changing directions due to the body rolling excessively. Testing with the Cognito sway bar resulted in less 'diving' of the chassis in turns, reacting quicker in turns and reacting quicker when changing directions in turns. The Cognito sway bar has 2 stiffness settings; the mounting holes at the end of the sway bar provide a 17% stiffer bar, and the inboard mounting holes a 27% stiffer bar for vehicles that are heavier from adding accessories such as a spare tire.

TECH NOTES

- Read instructions carefully before attempting installation.
- If this product was purchased as part of a bundle/package, familiarize yourself with each set of instructions included with the bundle/package before beginning.
- Check the parts and hardware packages against the parts list to assure that your kit is complete before starting.

REQUIREMENTS

- Installation requires a qualified mechanic.
- Follow the OE specifications when replacing or re-installing OE fasteners, retainers, and hardware specified in the OEM service manual.
- Always wear safety glasses when using power tools.
- When a lift is required to perform the installation of these products ensure the vehicle is properly supported before attempting installation or serious injury may occur.



INSTALLATION

1. Un-fasten the sway bar end links from OEM sway bar, retain hardware for re-installation.
2. Un-fasten the sway bar clamps from the frame, retain hardware for re-installation.
3. Remove the OEM sway bar from the frame and discard it along with the OEM bushings.
4. Install the supplied bushings onto the Cognito sway bar, this can be difficult, approach it at an angle. While the bushing is opened, prior to allowing it to seat on the sway bar, lubricate the inside of the bushing with grease such as a moly grease or wheel bearing grease.
5. Place the Cognito sway bar into the OEM frame position and fasten the bushings to the frame with the OEM clamps and fasteners, tighten to 70 ft-lbs.
6. Fasten the sway bar end links to the Cognito sway bar hole furthest away for a 17% stiffer bar, and the closer hole for a 27% stiffer bar. Tighten to 70 ft-lbs.



WARRANTY / RETURN POLICY / SAFETY

Cognito Limited Lifetime Warranty

Cognito Motorsports, Inc. hereinafter “Cognito,” warrants to the original retail purchaser, that its suspension products are free from workmanship and material defects for as long as the purchaser owns the vehicle on which the product(s) were originally installed. This warranty will be void if any modifications are made to the components, including alterations to the surface finish, i.e.; painting, powder coating, plating, and/or welding, or if they are improperly installed. Cognito truck suspension products are not designed nor intended to be installed on “competition” vehicles used in race applications, stunt or for exhibition purposes that are outside of the intended operating conditions specified by the manufacturer. Racing and competition are defined as any contests between two or more vehicles; or vehicles competing individually on off road circuits in timed events (whether or not such contests are for an award or prize).

This warranty does not include coverage for police, taxi, government or commercial vehicles, and the warranty does not cover Cognito products sold outside of the USA. Cognito’s obligations under this warranty are specified and applied at its sole discretion, and warranty coverage is limited to repair or replacement of the defective product(s). Any and all costs of removal, installation or reinstallation; freight charges, incidental or consequential damages associated with the covered products are expressly excluded from this warranty.

The following items are exempt from Cognito limited warranty coverage: bushings, bump stops, tie-rod ends (Heim joints) and limiting straps. These parts are “consumables” and designed to wear as a normal part of their duty cycle, therefore they are not considered defective when worn. The aforementioned products are warranted separately against defects in workmanship, for 60 days from the date of purchase. As a condition of warranty validation, respective Cognito suspension components must be installed as a complete system (not combined with non-Cognito hardware or ancillary parts). Any substitutions or omission of required components will void the warranty. Some minor cosmetic wear and imperfections may occur to parts during shipping, which is not covered under this warranty. This limited warranty does not apply to any components that have been subjected to collision damage, negligence, alteration, abuse, or misuse, and coverage does not extend to products manufactured by third-party companies. Cognito reserves the right to supersede, discontinue, or change the design, finish, part number and/or application of its parts when deemed necessary, without notice.

Return Policy

Product returns will not be accepted without prior written approval from an authorized Cognito representative. All products being returned must be shipped via trackable, prepaid freight. Returned products are subject to a 25% percent restocking fee. The eligible return period for products purchased directly from Cognito is 30 days from the verified date when the product(s) were originally received by the purchaser.

Product Safety Advisory

The installation of Cognito steering and suspension components will modify your vehicle’s original factory equipment and geometry, which may cause it to handle differently than a stock (unaltered) vehicle. Installation of these components is not intended to strengthen nor reinforce the vehicle’s frame, nor are they designed to increase rollover protection. It is necessary to periodically inspect all suspension and drive train components for proper attachment, torque specifications, operation, and for any potential unusual wear or damage. Installation of these parts will modify the height of the vehicle and may raise the center of gravity. Modifying vehicle height combined with off road operation may increase your vehicle’s susceptibility to rollover conditions, which may cause serious injury or death. Many states regulate allowable vehicle height modifications, and it is your responsibility to know and comply with the legal requirements specified by the laws where you reside. Modifications to your vehicle’s ride height may also affect the ride quality, driver input response, trackability and handling, and wear to your vehicle’s suspension components and tires.